

# Fichier de configuration

## .profile

```
# UNIX variables.
#TERM="xterm-color"
VISUAL=/usr/bin/mg
EDITOR=/usr/bin/mg
PAGER=/usr/bin/less
export TERM VISUAL EDITOR PAGER

# OpenBSD specific variables.
PKG_PATH=http://ftp.fr.openbsd.org/pub/OpenBSD/`uname -
r`/packages/`machine` -a`/
CVSROOT=anoncvs@anoncvs.fr.openbsd.org:/cvs
export PKG_PATH CVSROOT

# Prompt.
PS1='\e[1;36m\u\e[0m@\e[1;32m\h\e[0m \e[1;97m\W\e[0m \$ '
export PS1

# Locale.
LC_CTYPE=fr_FR.UTF-8
LANG=fr_FR.UTF-8
export LC_CTYPE LANG

# Shell.
HISTFILE=~/.ksh_history
HISTSIZE=50
export HISTFILE HISTSIZE

# Key bindings.
alias ll='colorls -lAhF'
```

## Bibliographie

- site web officiel :
- Wikipedia :
- etc.

From:

<https://www.mouet-mouet.net/> - **mouet-mouet !**

Permanent link:

<https://www.mouet-mouet.net/doku.php?id=maxime:openbsd:docs:ksh>

Last update: **2021/10/08 00:17**

